

PROJECT 10073 RECORD

1. DATE - TIME GROUP 19 Jan 67 19/1405Z	2. LOCATION Danbar, West Virginia
3. SOURCE Civilian	10. CONCLUSION INSUFFICIENT DATA FOR EVALUATION
4. NUMBER OF OBJECTS 1	
5. LENGTH OF OBSERVATION None Stated	11. BRIEF SUMMARY AND ANALYSIS SEE CASE FILE
6. TYPE OF OBSERVATION Ground Visual	
7. COURSE None Stated	
8. PHOTOS ☐ Yes ☒ No	
9. PHYSICAL EVIDENCE ☐ Yes ☒ No	

19 Jan 67

DEPARTMENT OF THE AIR FORCE
HEADQUARTERS FOREIGN TECHNOLOGY DIVISION (AFSC)
WRIGHT-PATTERSON AIR FORCE BASE, OHIO 45433



REPLY TO
ATTN OF: TDET/UFO

30 January 1967

SUBJECT: UFO Observation, 19 Jan 67

TO: Mr. [REDACTED]
[REDACTED]
Dunbar, West Virginia 25064

19 Jan 67
19/1405Z

Dunbar, W. Virginia

Reference your unidentified observation. The information which we have received is not sufficient for a scientific evaluation. Request you complete the attached FTD Form 164 and return it in the envelope provided. Thank you for reporting your observation to the Air Force.

JAMES C. MANATT, Colonel, USAF
Director of Technology and Subsystems

1 Atch
FTD Form 164 w/envelope

TDET/UFO OP Rec'd File Copy

19 JAN 67 22

29 1/2

5 ET(UFO)

SEND
164

(5) $\frac{1}{2}$ [illegible]

(a) $2\sqrt{2} + 2$ (b) $2\sqrt{2} - 2$

1. The first step is to identify the problem. This involves understanding the situation and the goals that need to be achieved. It is important to gather all relevant information and to define the problem clearly.

[REDACTED]

Figure 1 is a line graph with the X-axis labeled 'Number of children in the household' ranging from 0 to 10, and the Y-axis labeled 'Probability of a child being in the household' ranging from 0 to 1. A solid line starts at (0, 1) and decreases as the number of children increases, approaching 0 as the number of children approaches 10. A shaded area around the line represents the 95% confidence interval. The legend indicates that the solid line represents the probability of a child being in the household, and the shaded area represents the 95% confidence interval.

1990年12月15日 星期一 晴
 1990年12月16日 星期二 晴

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The *Agrobacterium* strains were grown in YEA medium for 24 h at 28°C. The cell concentration of the strains was adjusted to 1.0 × 10⁸ cells/ml. The cell suspension was then diluted to 10⁶, 10⁷, 10⁸, 10⁹ and 10¹⁰ cells/ml. The cell suspension was then inoculated into the plant tissue. The transformation efficiency was determined by the number of transformants per 100 mg of plant tissue. The data were expressed as the mean ± SD of three independent experiments.