

PROJECT 10073 RECORD CARD

1. DATE 24 Jul 58		2. LOCATION Las Cruces, New Mexico		12. CONCLUSIONS ☐ Was Balloon ☐ Probably Balloon ☐ Possibly Balloon ☐ Was Aircraft ☐ Probably Aircraft ☐ Possibly Aircraft	
3. DATE-TIME GROUP Local 827 Mount Time GMT 25/0327Z		4. TYPE OF OBSERVATION ☒ Ground-Visual ☐ Ground-Radar ☐ Air-Visual ☐ Air-Intercept Radar		☒ Was Astronomical Meteor ☐ Probably Astronomical ☐ Possibly Astronomical	
5. PHOTOS ☐ Yes ☒ No		6. SOURCE Civilian (Astronomer)		☐ Other _____ ☐ Insufficient Data for Evaluation ☐ Unknown	
7. LENGTH OF OBSERVATION 20 secs		8. NUMBER OF OBJECTS one		9. COURSE	
10. BRIEF SUMMARY OF SIGHTING Extremely bright obj -5 or -6 mag (w/ 4dgr tail) obsvd by leading astronomer cover arc fm 320dgr azimuth 35dgr alt to 100dgr azimuth 20dgr alt. Travel thus 5dgr per second, almost too slow for meteor.				11. COMMENTS Confirmed meteor sighting.	

Dr. [REDACTED]

August 7, 1958.

Report of Unidentified Objects

Sighted in Neighborhood of Bermuda on July 15, 1958.

(per U.S.A.F. Headquarters Wire of July 15)

These objects were quite possibly fireballs or meteors (but which, would depend on size and brightness which are not described). If they were large objects, they could be fireballs and, while it would be remarkable that so many fireballs could be seen in such a short space of time (ten in half an hour), it is not outside the bounds of possibility.

Their varied and sometimes opposite directions would, of course, rule out any chance of them being connected with any single normal artificial satellite.

It may be interesting to note that we have three other recent reliable reports of somewhat similar unidentified objects, as follows:

→ Las Cruces, N.M.	July 25	03 27	U.T.
Portland, Oregon	August 1	08 26	
Chapel Hill, N.C.	August 4	01 15	

Color was not mentioned in the Las Cruces case. The Portland object changed from white to red and was almost one-fourth of the moon in size. The Chapel Hill object was one-tenth of the moon's diameter and had a large orange tail. All were travelling in a more or less easterly direction.

Also of interest, for whatever the coincidence may be worth, is the fact that the two time intervals between the last Bermuda west-to-east sighting, and the Las Cruces and Portland observations, have a common denominator, or common basic period, of about 345 minutes. The Chapel Hill sighting can also be included in this time grouping if we use one-third of this period, namely, 115 minutes, as the common basic period for all three intervals. (N.B. the Portland sighting time is only very approximate).

-----000-----

257-1

3:27 UT (2-60)

SMITHSONIAN INSTITUTION
ASTROPHYSICAL OBSERVATORYSECTION OF UPPER ATMOSPHERE STUDIES
IGY OPTICAL SATELLITE TRACKING PROGRAM
80 GARDEN STREET
CAMBRIDGE 38, MASSACHUSETTSJuly 29, 1958
(dictated on
July 26, 1958)Captain George T. Gregory
Air Technical Intelligence Center
Wright-Patterson Air Force Base
P. O. Box 9703
Dayton, Ohio

Dear Captain:

I am on the eve of my departure for Moscow, and I am taking the liberty of enclosing an itinerary so that you will know where I am and, if necessary, can get in touch with me at these places.

I honestly don't know which of the alternatives to give greater weight to. While the artificial meteor hypothesis is certainly a possibility, I do not favor it myself very much. I think really it was a slow meteor, especially since it was observed in the early evening.

Apropos of that, Dr. [redacted] called me just yesterday to report an extremely bright object. The data on this is as follows: 3:27 UT (Zebra) July 25, 1958; 8:27 Mountain Time. An extremely bright object about minus 5 or minus 6 (that is much brighter than any of the planets) with a four degree long tail and emitting sparks as it went along, was first sighted at Azimuth 320 degrees and altitude 35 and traversed 100 or so degrees in a great circle to about 100 degrees Azimuth and 20 degrees altitude. It covered the 100 degrees in about 20 seconds, thus giving 5 degrees per second. Dr. [redacted] a reputable astronomer, *says that in his opinion it was not a meteor, but again it is a borderline case. It is too fast for a satellite unless the object were a foreign object on its way down. For instance if the object were 20 miles high, it was travelling at 2.7 miles per second. Several people saw it so there's no question of confirmation.

I'll admit that calling everything a bright meteor is a very handy thing to do but, until we have definite evidence that it is something else, I would still rather favor that explanation. However, we should keep a list (and we are doing so here) of all these very bright, slow-moving objects, because intelligence data at a later date may reveal that some strange things were up there. It

* Discoverer of Pluto;
• expert on Mars

919